			7	
L Number	Hits	Search Text	DB	Time stamp
1	3639	(paus\$4 sleep\$4 suspen\$6) with operation and (resum\$6 awak\$4 wak\$4 restart\$4	USPAT; US-PGPUB;	2004/02/03 12:02
		recover\$4) with operation and (progress\$4 status)	EPO; JPO; IBM TDB	
2	24	(paus\$4 sleep\$4 suspen\$6) with operation and (resum\$6 awak\$4 wak\$4 restart\$4	USPAT; US-PGPUB;	2004/02/03
		recover\$4) with operation and (progress\$4	EPO; JPO;	12.02
	٠.	status) and exact\$4 with (position point place) with resum\$4	IBM_TDB	
4	0	(paus\$4 sleep\$4 suspen\$6) with operation and (resum\$6 awak\$4 wak\$4 restart\$4	USPAT; US-PGPUB;	2004/02/03
	:	recover\$4) with operation and (progress\$4 status) and exact\$4 with (position point	EPO; JPO;	
		place) with resum\$6 and biometric	IBM_TDB	
3	24	(paus\$4 sleep\$4 suspen\$6) with operation and (resum\$6 awak\$4 wak\$4 restart\$4	USPAT; US-PGPUB;	2004/02/03 12:07
		recover\$4) with operation and (progress\$4 status) and exact\$4 with (position point	EPO; JPO; IBM TDB	
_	1.0	place) with resum\$6	_	2004/02/03
5	. 18	(paus\$4 sleep\$4 suspen\$6) with operation and (resum\$6 awak\$4 wak\$4 restart\$4	USPAT; US-PGPUB;	12:07
		recover\$4) with operation and (progress\$4 status) and exact\$4 with (position point	EPO; JPO; IBM TDB	
_	379842	place) with resum\$6 and progress\$4 information with process\$4	USPAT;	2003/07/22
	373042	The state of the s	US-PGPUB;	17:18
			EPO; JPO; IBM_TDB	
-	3812	finger\$print with (id identifi\$6)	USPAT; US-PGPUB;	2003/07/22 17:19
		,	EPO; JPO; IBM TDB	
_	1711	<pre>(information with process\$4) and (finger\$print with (id identifi\$6))</pre>	USPAT;	2003/07/23
		(itingerabilit mich (id identifiae))	US-PGPUB; EPO; JPO;	00.30
_	251	(information with process\$4) and	IBM_TDB USPAT;	2003/07/23
		(finger\$print with (id identifi\$6)) and user adj identif\$6	US-PGPUB; EPO; JPO;	08:59
	231	(information with process\$4) and	IBM_TDB USPAT;	2003/07/23
	231	(finger\$print with (id identifi\$6)) and	US-PGPUB;	09:00
		user with identif\$6 with finger\$print	EPO; JPO; IBM_TDB	
-	222	<pre>(information with process\$4) and (finger\$print with (id identifi\$6)) and</pre>	USPAT; US-PGPUB;	2003/07/23 09:01
		<pre>user with identif\$6 with finger\$print and device</pre>	EPO; JPO; IBM TDB	
_	58	<pre>(information with process\$4) and (finger\$print with (id identifi\$6)) and</pre>	USPAT; US-PGPUB;	2003/07/23
		user with identif\$6 with finger\$print and	EPO; JPO;	02.53
		device and user with (information data) and information with (progressive	IBM_TDB	
_	30	histor\$4 environment) (information with process\$4) and	USPAT;	2003/07/23
		(finger\$print with (id identifi\$6)) and user with identif\$6 with finger\$print and	US-PGPUB; EPO; JPO;	09:38
,		device and user with (information data) and information with (progressive	IBM_TDB	
		histor\$4 environment) and finger\$print		
_	19	with image (information with process\$4) and	USPAT;	2003/07/23
		<pre>(finger\$print with (id identifi\$6)) and user with identif\$6 with finger\$print and</pre>	US-PGPUB; EPO; JPO;	09:09
		device and user with (information data) and information with (progressive	IBM_TDB	
		histor\$4 environment) and finger\$print		
		with image and finger\$print with feature		l

		•	•	
_	42	(information with process\$4) and (finger\$print with (id identifi\$6)) and user with identif\$6 with finger\$print and device and user with (information data) and information with (progressive histor\$4 environment) not ginter.in. not	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 09:37
	0	nec.as. (information with process\$4) and (finger\$print with (id identifi\$6)) and user with identif\$6 with finger\$print and device and user with (information data) and information with (progressive histor\$4 environment) not ginter.in. not nec.as. and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 09:37
_	15	(information with process\$4) and (finger\$print with (id identifi\$6)) and user with identif\$6 with finger\$print and device and user with (information data) and information with (progressive histor\$4 environment) and finger\$print with image not ginter.in. not nec.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 12:57
-	12811	finger\$print	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 14:55
-	897	<pre>finger\$print and device with (picture book game retrieval)</pre>	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 14:56
	497	<pre>finger\$print and device with ("picture book" game retrieval)</pre>	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/07/23 14:56
-	108	<pre>finger\$print and device near ("picture book" game retrieval)</pre>	USPĀT; US-PGPUB; EPO; JPO; IBM TDB	2003/07/23 14:56
-	0	<pre>finger\$print and "picture book" adj device and game adj device and retrieval adj device</pre>	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/07/23 14:58
-	. 0	<pre>finger\$print and "picture book" adj device and game adj device and retriev\$4 adj device</pre>	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/07/23 14:57
-	0	finger\$print and "picture book" adj device and game adj device	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/07/23 14:58
-	0	finger\$print and game adj device and retrieval adj device	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/07/23 14:59
	0	finger\$print and game adj device and retriev\$4 adj device	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/07/23 15:00
-	70	finger\$print and game adj device	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/07/23 15:00
_	2	finger\$print and game adj device with processing	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/07/23 15:02
-	1	finger\$print and gam\$4 adj device with process\$4 adj device	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/07/23 15:05

_	0	finger\$print and picture adj device with process\$4 adj device	USPAT; US-PGPUB; EPO; JPO;	2003/07/23 15:10
-	. 66	finger\$print and picture with device with process\$4 with device	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/07/23 15:11
	233	finger\$print and picture with device and process\$4 with device	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/07/23 15:12
_	15	(information with process\$4) and (finger\$print with (id identifi\$6)) and user with identif\$6 with finger\$print and device and user with (information data) and information with (progressive histor\$4 environment) and finger\$print with image and feature with stor\$4 not ginter.in. not nec.as.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 12:33
_	9	(information with process\$4) and (finger\$print with (id identifi\$6)) and user with identif\$6 with finger\$print and device and user with (information data) and information with (progressive histor\$4 environment) and finger\$print with image and feature with stor\$4 and feature with group not ginter.in. not nec.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 12:33
_	11	(information with process\$4) and (finger\$print with (id identifi\$6)) and user with identif\$6 with finger\$print and device and user with (information data) and information with (progressive histor\$4 environment) and finger\$print with image and feature with stor\$4 and feature with set not ginter.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 12:34
_	13	(finger\$print with (id identifi\$6)) and user with identif\$6 with finger\$print and device and user with (information data) and information with (progressive histor\$4 environment) and finger\$print with image and feature with stor\$4 and feature with (plurali\$4 set) not	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 12:35
-	2	ginter.in. not nec.as. (information with process\$4) and (finger\$print with (id identifi\$6)) and user with identif\$6 with finger\$print and device and user with (information data) and information with (progressive histor\$4 environment) and finger\$print with image and progressive not ginter.in. not nec.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 12:58
-	2	(information with process\$4) and (finger\$print with (id identifi\$6)) and user with identif\$6 with finger\$print and device and user with (information data) and information with (progressive histor\$4 environment) and finger\$print with image and suspen\$4 and resum\$4 not	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02
_	14741	ginter.in. not nec.as. finger\$print	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/02/02 12:58
- .	239	finger\$print and suspen\$6 and resum\$6	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/02/02 12:59

-	146	finger\$print and suspen\$6 and resum\$6 and progress\$4	USPAT; US-PGPUB; EPO; JPO;	2004/02/02 13:00
	120	firm and manager and manager and	IBM_TDB	2004/02/02
	130	finger\$print and suspen\$6 and resum\$6 and	USPAT; US-PGPUB;	13:00
		progress\$4 and exact\$4		13:00
	:		EPO; JPO;	
			IBM_TDB	0004/00/00
-	3	finger\$print and suspen\$6 and resum\$6 and	USPAT;	2004/02/02
		progress\$4 and exact\$4 adj (place	US-PGPUB;	13:01
		location state)	EPO; JPO;	
			IBM_TDB	
-	0	finger\$print and suspen\$6 and resum\$6 and	USPAT;	2004/02/02
		progress\$4 and exact\$4 with (place	US-PGPUB;	13:02
		location state) with resum\$6	EPO; JPO;	
ļ.			IBM_TDB	
-	0	finger\$print and suspen\$6 and resum\$6 and	USPAT;	2004/02/02
	ļ	progress\$4 and exact\$4 with (place	US-PGPUB;	13:02
		location state) with suspen\$6	EPO; JPO;	
			IBM_TDB]
_	0	<pre>finger\$print and (suspen\$6 interrupt\$4)</pre>	USPAT;	2004/02/02
· ·		and resum\$6 and progress\$4 and (precis\$4	US-PGPUB;	13:03
		exact\$4) with (place location state) with	EPO; JPO;	
		suspen\$6	IBM TDB	
_	37	1 -	USPAT;	2004/02/02
		progress\$4 and exact\$4 with (place	US-PGPUB;	13:04
		location state) and biometric	EPO; JPO;	
		Todation boate, and bromeeric	IBM TDB	
l _	l 0	finger\$print and suspen\$6 and resum\$6 and	USPAT;	2004/02/02
		progress\$4 and exact\$4 with (place	US-PGPUB;	13:05
		location state) and biometric with	EPO; JPO;	13.03
		resum\$4	IBM TDB	
1_	0	finger\$print and suspen\$6 and resum\$6 and	USPAT;	2004/02/02
	,	progress\$4 and exact\$4 with (place	US-PGPUB;	13:05
		location state) and biometric with		13:03
		resum\$6	EPO; JPO;	
	o	7 7 7 7	IBM_TDB	2004/02/02
-	U	finger\$print and suspen\$6 and resum\$6 and	USPAT;	2004/02/02
		progress\$4 and exact\$4 with (place	US-PGPUB;	13:05
		location state) and biometric with	EPO; JPO;	
		suspen\$6	IBM_TDB	
-	0	finger\$print and suspen\$6 and resum\$6 and	USPAT;	2004/02/02
		progress\$4 and exact\$4 with (place	US-PGPUB;	13:06
[location state) with (suspen\$6 resum\$6)	EPO; JPO;	
		and biometric	IBM_TDB	0004/00/00
-	0	finger\$print and suspen\$6 and resum\$6 and	USPAT;	2004/02/02
		progress\$4 and exact\$4 with (suspen\$6	US-PGPUB;	13:06
		resum\$6) and biometric	EPO; JPO;	
	_		IBM_TDB	0000/00/55
-	1	finger\$print and suspen\$6 and resum\$6 and	USPAT;	2004/02/02
1 .		progress\$4 and suspen\$6 with resum\$6 and	US-PGPUB;	13:12
		biometric	EPO; JPO;	
	_		IBM_TDB	
] -	18	finger\$print and suspen\$6 and (resum\$6	USPAT;	2004/02/02
		recover\$4) and progress\$4 and suspen\$6	US-PGPUB;	13:13
		with resum\$6	EPO; JPO;	
]		·	IBM_TDB	
	1	finger\$print and suspen\$6 and (resum\$6	USPĀT;	2004/02/02
		recover\$4) and progress\$4 and suspen\$6	US-PGPUB;	13:14
		with resum\$6 and biometric	EPO; JPO;	
] .			IBM_TDB	
] -	1	finger\$print and suspen\$6 and (resum\$6	USPĀT;	2004/02/02
		recover\$4) and progress\$4 and suspen\$6	US-PGPUB;	13:15
]		with (recover\$4 resum\$6) and biometric	EPO; JPO;	İ
		,	IBM_TDB	
j - j	10	finger\$print and (paus\$4 suspen\$6) and	USPAT;	2004/02/02
		(resum\$6 recover\$4) and progress\$4 and	US-PGPUB;	13:18
	_	(paus\$4 suspen\$6) with (recover\$4	EPO; JPO;	
ļ .	· .	resum\$6) and biometric	IBM TDB	
		· · · · · · · · · · · · · · · · · · ·		

_	15	finger\$print and (paus\$4 suspen\$6) and	USPAT;	2004/02/02
		(resum\$6 recover\$4) and (progress\$4	US-PGPUB;	13:25
		status) and (paus\$4 suspen\$6) with	EPO; JPO;	
		(recover\$4 resum\$6) and biometric	IBM TDB	
_	15	finger\$print and (paus\$4 suspen\$6) and	USPAT;	2004/02/02
		(resum\$6 restart\$4 recover\$4) and	US-PGPUB;	13:25
		(progress\$4 status) and (paus\$4 suspen\$6)	EPO; JPO;	
		with (recover\$4 resum\$6) and biometric	IBM TDB	
_	24	finger\$print and (paus\$4 sleep\$4	USPAT;	2004/02/02
_	27	suspen\$6) and (resum\$6 awak\$4 wak\$4	US-PGPUB;	13:33
		restart\$4 recover\$4) and (progress\$4	EPO; JPO;	13.33
		status) and (paus\$4 sleep\$4 suspen\$6)	IBM TDB	
			TDM_TDB	
j		with (recover\$4 resum\$6 awak\$4 wak\$4) and		
	100	biometric		2004/02/02
- '	193		USPAT;	2004/02/02
		suspen\$6) and (resum\$6 awak\$4 wak\$4	US-PGPUB;	13:33
:		restart\$4 recover\$4) and (progress\$4	EPO; JPO;	
		status) and biometric\$4	IBM_TDB	
-	25	finger\$print and (paus\$4 sleep\$4	USPAT;	2004/02/02
		suspen\$6) with (resum\$6 awak\$4 wak\$4	US-PGPUB;	15:10
		restart\$4 recover\$4) and (progress\$4	EPO; JPO;	
,		status) and biometric\$4	IBM_TDB	
-	73	finger\$print and suspen\$6 and resum\$6 and	USPAT;	2004/02/02
		progress\$4 and exact\$4 with (place	US-PGPUB;	13:40
		location state)	EPO; JPO;	
			IBM TDB	
-	64	(finger\$print biometric\$4) and (paus\$4	USPAT;	2004/02/02
		sleep\$4 suspen\$6) with (resum\$6 awak\$4	US-PGPUB;	13:41
		wak\$4 restart\$4 recover\$4) and	EPO; JPO;	
		(progress\$4 status) and biometric\$4	IBM TDB	
_	64	(paus\$4 sleep\$4 suspen\$6) with (resum\$6	USPAT;	2004/02/03
		awak\$4 wak\$4 restart\$4 recover\$4) and	US-PGPUB;	12:01
		(progress\$4 status) and biometric\$4	EPO; JPO;	-
		(Progress; rodeds) and remoders;	IBM TDB	
_	166	(paus\$4 sleep\$4 suspen\$6) with (resum\$6	USPAT;	2004/02/02
	100	awak\$4 wak\$4 restart\$4 recover\$4) and	US-PGPUB;	15:15
		(progress\$4 status) and (thumb\$print	EPO; JPO;	15.15
		(progress)	IBM TDB	
_	1	(paus\$4 sleep\$4 suspen\$6) with (resum\$6	USPAT;	2004/02/02
	1	awak\$4 wak\$4 restart\$4 recover\$4) and	US-PGPUB;	15:17
		(progress\$4 status) and (thumb\$print and	EPO; JPO;	13.17
		(progress)4 status) and (thumbsprint and finger\$print)		
	7		IBM_TDB	2004/02/02
-	7	(paus\$4 sleep\$4 suspen\$6) and (resum\$6	USPAT;	2004/02/02
		awak\$4 wak\$4 restart\$4 recover\$4) and	US-PGPUB;	15:18
		(progress\$4 status) and (thumb\$print and	EPO; JPO;	
		finger\$print)	IBM_TDB	